



OROSURG
ENTERPRISES

Support. Strength. Surgery.



Truma Locking Plate & Interlocking Nailing




Table of Contains

About Us	02
Clavicle Locking Plate	03
Humerus Locking Plate	04
Radius Locking Plate	06
Tibia Locking Plate	08
Femur Locking Plate	11
Locking Bone Screw	12
Bone Screw	13
Interlocking Nail	15

ABOUT US

About Us

Who We Are

OROSURG is a leading-edge provider of advanced orthopedic trauma systems, dedicated to delivering precision-engineered solutions to the healthcare industry. We specialize in comprehensive trauma care products designed to restore mobility and improve patient outcomes.

Our Quality & Precision

Driven by innovation and clinical excellence, our extensive portfolio includes Anatomical Locking Plates & Screws, Pelvic Fixation Systems, Micro Hand Implants, and Bipolar Hip Components. Every product is processed in state-of-the-art facilities compliant with global standards, ensuring utmost safety, biocompatibility, and reliability for orthopedic surgeons.

Our Mission

To empower healthcare professionals with superior, internationally certified, and dependable surgical solutions that meet the highest standards of trauma care.

Our team of skilled engineers and technicians works meticulously to produce each product using premium materials, all while adhering to strict quality control processes. The integration of CNC Sliding Head Machines and VMC Machine further enhances our ability to deliver implants with unparalleled consistency and quality, making them trusted choices for orthopedic procedures worldwide.



Enhancing Surgical Precision Through

**INNOVATIVE
IMPLANTS**



OROSURG

CLAVICLE

Superior Anterior Clavicle Locking Plate



Orientation	Left & Right
Size	5,6,7,8 & 9 Hole
SS 316L Code	S2004
Titanium Code	T2004

Superior Anterior Clavicle Locking Plate With Lateral extension



Orientation	Left & Right
Size	3,4,5,6,7,8 & 9 Hole
SS 316L Code	S2005
Titanium Code	T2005

**Clavicle Hook Locking Plate 3.5mm
Hook Depth 15mm**




Orientation	Left & Right
Size	4,5,6 & 7 Hole
SS 316L Code	S2002
Titanium Code	T2002

Lateral Border Scapula Locking Plate



Orientation	Left & Right
Size	3,5 & 7 Hole
SS 316L Code	S2006

Medial Border Scapula Locking Plate



Orientation	Left & Right
Size	11 Hole
SS 316L Code	S2007



OROSURG

HUMERUS

Small Locking plate 3.5mm



Orientation	Universal
Size	3 to 14 Hole
SS 316L Code	S2201
Titanium Code	T2201

Philos Locking Plate



Orientation	Universal
Size	2, 3, 4, 5 & 6 Hole
SS 316L Code	S2203
Titanium Code	T2203

Philos Locking Plate Long



Orientation	Universal
Size	6, 7, 8, 9, 10, 11 & 12 Hole
SS 316L Code	S2203L
Titanium Code	T2203L

Periarticular Proximal Humerus Locking Plate



Orientation	Left & Right
Size	3, 4, 5, 6, 7, 8, 9, 10, 11 & 12 Hole
SS 316L Code	S2202
Titanium Code	T2202

Olecranon Locking Plate, 3.5 mm



Orientation	Left & Right
Size	2, 4, 6, 8, 10, 12 & 14 Hole
SS 316L Code	S2207
Titanium Code	T2207

Distal Medial Humeral Locking Plate



Orientation	Left & Right
Size	3, 5, 7, 9, 11, 13 & 14 Hole
SS 316L Code	S2206
Titanium Code	T2206

Distal Humeral Locking Plate, Dorsolateral - without Lateral Support



Orientation	Left & Right
Size	3, 5, 7, 9, 11, 13 & 14 Hole
SS 316L Code	S2204
Titanium Code	T2204

Distal Humeral Locking Plate, Dorsolateral - with Lateral Support



Orientation	Left & Right
Size	3, 5, 7, 9, 11, 13 & 14 Hole
SS 316L Code	S2205
Titanium Code	T2205

Metaphyseal Locking plate for distal medial humerus



Orientation	Universal
Size	7, 9, 11 & 13 Hole
SS 316L Code	S2213
Titanium Code	T2213



OROSURG

HUMERUS

Extra Articular Distal Humerus Locking Plate



Orientation	Left & Right
Size	4, 6, 8, 10, 12 & 14 Hole
SS 316L Code	S2208
Titanium Code	T2208

Radial Head RIM Locking Plate



Orientation	Left & Right
Size	3, 4 & 5 Hole
SS 316L Code	S2210
Titanium Code	T2210

Radial Head Neck Locking Plate



Orientation	Left & Right
Size	3, 4 & 5 Hole
SS 316L Code	S2209
Titanium Code	T2209

Proximal Humerus GT (Greater Tubercle) Locking Plate



Orientation	Left & Right
Size	2 & 3 Hole
SS 316L Code	S2212 T2212
Titanium Code	



OROSURG

RADIUS

Distal Radius Kopies Plate – STANDARD



Orientation	Left & Right
Size	3, 4, 5, 6 & 8 Hole
SS 316L Code	S2316
Titanium Code	T2316

Distal Radius Kopies Plate – WIDE



Orientation	Left & Right
Size	3, 4, 5, 6 & 8 Hole
SS 316L Code	S2317
Titanium Code	T2317

Small T Locking plate, Oblique Angled 3.5 mm



Orientation	Left & Right
Size	3, 4, 5, 6, 7, 8, 10, 12 & 14 Hole
SS 316L Code	S2302
Titanium Code	T2302

Small T Locking plate, Right Angled 3.5 mm



Orientation	Universal
Size	3, 4, 5, 6, 7, 8, 10, 12 & 14 Hole
SS 316L Code	S2301
Titanium Code	T2301

Distal Radius Locking Plate Straight – Dorsal



Orientation	Universal
Size	5 & 6 Hole
SS 316L Code	S2303
Titanium Code	T2303

L Distal Radius Locking Plate Right Angled Shaft (Head 2Hole)



Orientation	Left & Right
Size	3, 4 & 5 Hole
SS 316L Code	S2304
Titanium Code	T2304

L Distal Radius Locking Plate Right Angled Shaft (Head 3 Hole)



Orientation	Left & Right
Size	3, 4 & 5 Hole
SS 316L Code	S2305
Titanium Code	T2305

Distal Radius Locking Plate oblique Angled Shaft (Head 3 Hole)



Orientation	Left & Right
Size	3, 4 & 5 Hole
SS 316L Code	S2307
Titanium Code	T2307

T Distal Radius Locking Plate Right Angle (Head 3 Hole)



Orientation	Universal
Size	3, 4 & 5 Hole
SS 316L Code	S2308
Titanium Code	T2308



OROSURG

RADIUS

T Distal Radius Locking Plate(Head 5Hole)



Orientation	Left & Right
Size	3, 4 & 5 Hole
SS 316L Code	S2309
Titanium Code	T2309

Buttress Plate Locking Plate(Head 5 Hole)



Orientation	Left & Right
Size	3 Hole
SS 316L Code	S2310
Titanium Code	T2310

**Distal Radius Extra Articular Locking Plate
(Head 5Hole)**



Orientation	Left & Right
Size	3, 4 & 5 Hole
SS 316L Code	S2311
Titanium Code	T2311

**Distal Radius Extra Articular Locking Plate
(head 4Hole)**



Orientation	Left & Right
Size	3, 4 & 5 Hole
SS 316L Code	S2312
Titanium Code	T2312

**Two-Column(Variable Angle) Distal Radius
Locking Plate**



Orientation	Left & Right
Size	2, 3, 4, 5, 6 & 8 Hole
SS 316L Code	S2314
Titanium Code	T2314

Distal Radius RIM Locking Plate



Orientation	Left & Right
Size	4 & 5 Hole
SS 316L Code	S2318
Titanium Code	T2318

**TwoColuma(V.A.) Distal Radius Locking Plate
(2.7mm System) (Head 4 Hole)**



Orientation	Left & Right
Size	2, 3, 4 & 5 Hole
SS 316L Code	S2320
Titanium Code	T2320

**TwoColuma(V.A.) Distal Radius Locking Plate
(2.7mm System) (Head 5 Hole)**



Orientation	Left & Right
Size	2, 3, 4 & 5 Hole
SS 316L Code	S2321
Titanium Code	T2321



OROSURG

TIBIA

Narrow Locking Plate 4.5mm



Orientation	Universal
Size	4 to 16 Hole
SS 316L Code	S2401
Titanium Code	T2401

Reconstruction Locking plate, Straight Combi Hole 3.5mm



Orientation	Universal
Size	4 to 16 Hole
SS 316L Code	S2402
Titanium Code	T2402

Reconstruction Locking plate, Straight Combi Hole 4.5 mm



Orientation	Universal
Size	4 to 16 Hole
SS 316L Code	S2403
Titanium Code	T2403

One Third Tubular Locking Plate(Combi Hole) 3.5mm



Orientation	Universal
Size	4 to 14 Hole
SS 316L Code	S2422
Titanium Code	T2422

4.5 mm T-Buttress Locking plate



Orientation	Universal
Size	4 to 12 Hole
SS 316L Code	S2405
Titanium Code	T2405

4.5 mm L-Buttress Locking plate



Orientation	Left & Right
Size	4 to 12 Hole
SS 316L Code	S2406
Titanium Code	T2406

Distal Medial Tibia Locking plate 3.5mm(low band)



Orientation	Left & Right
Size	4, 6, 8, 10, 12 & 14 Hole
SS 316L Code	S2410
Titanium Code	T2410

Distal Medial Tibia Locking plate 3.5mm With tab



Orientation	Left & Right
Size	4, 6, 8, 10, 12 & 14 Hole
SS 316L Code	S2409
Titanium Code	T2409

Proximal Lateral Tibia Locking Plate(HOCKEY)



Orientation	Left & Right
Size	5, 7, 9, 11, 13 & 15 Hole
SS 316L Code	S2425
Titanium Code	T2425



OROSURG

TIBIA

4.5 mm 'T' Locking plate



Orientation	Universal
Size	4 to 12 Hole
SS 316L Code	S2404
Titanium Code	T2404

**Lateral Distal Fibula Locking Plate
2.7mm & 3.5mm**



Orientation	Universal
Size	3 to 12 Hole
SS 316L Code	S2428
Titanium Code	T2428

Lateral Distal Fibula Locking Plate 3.5mm



Orientation	Universal
Size	3 to 12 Hole
SS 316L Code	S2421
Titanium Code	T2421

Lateral Distal Fibula Locking Plate



Orientation	Left & Right
Size	3, 5, 7, 9, 11 & 13 Hole
SS 316L Code	S2420
Titanium Code	T2420

Proximal Tibia Locking Plate 3.5mm(RAFT)



Orientation	Left & Right
Size	4, 6, 8, 10, 12 & 14 Hole
SS 316L Code	S2412
Titanium Code	T2412

Distal Tibia Anterolateral Locking Plate



Orientation	Left & Right
Size	5, 7, 9, 11 & 13 Hole
SS 316L Code	S2411
Titanium Code	T2411

Proximal Medial Tibia Locking Plate 3.5mm



Orientation	Left & Right
Size	4, 6, 8, 10, 12 & 14 Hole
SS 316L Code	S2415
Titanium Code	T2415

Distal Tibia Posterior Mollulus Plate



Orientation	Universal
Size	3, 4 & 5 Hole
SS 316L Code	S2431
Titanium Code	T2431

Posterior Medial Proximal Tibia Locking Plate



Orientation	Universal
Size	2, 4, 6, 8 & 10 Hole
SS 316L Code	S2426
Titanium Code	T2426



OROSURG

TIBIA

Calcaneal Locking plate 3.5 mm



Orientation	Left & Right
Size	64, 69, 76 & 81mm
SS 316L Code	S2419
Titanium Code	T2419

Tomofix Mid High T Locking Plate Without Gap



Orientation	Universal
Size	3 & 4 Hole
SS 316L Code	S2423
Titanium Code	T2423

Tomifix Mid High T Locking Plate With Gap



Orientation	Universal
Size	3 & 4 Hole
SS 316L Code	S2424
Titanium Code	T2424

Wedges For Tomofix plate



Orientation	Universal
Size	8, 10, 12 & 14mm
SS 316L Code	S2430
Titanium Code	T2430



OROSURG

FEMUR

Broad Locking plate 4.5 mm



Orientation	Universal
Size	4 to 16 Hole
SS 316L Code	S2103
Titanium Code	T2103

Distal Femur Locking Plate 5.0mm



Orientation	Left & Right
Size	5, 7, 9, 11, 13 & 15 Hole
SS 316L Code	S2101
Titanium Code	T2101

Proximal Femur Locking Plate 5.0 mm



Orientation	Left & Right
Size	2, 4, 6, 8, 10, 12, 14 & 16 Hole
SS 316L Code	S2102
Titanium Code	T2102

DHS Barrel Locking Plate (25mm Barrel)



Orientation	Universal
Size	4, 5, 6, 7 & 8 Hole
SS 316L Code	S2107(130°) & S2108(135°)
Titanium Code	T2107(130°) & T2108(135°)

DHS Barrel Locking Plate(38mm Barrel)



Orientation	Universal
Size	4, 5, 6, 7 & 8 Hole
SS 316L Code	S2113(130°) & S2114(135°)
Titanium Code	T2113(130°) & T2114(135°)

DCS Barrel Locking Plate 95°



Orientation	Universal
Size	4, 5, 6, 7 & 8 Hole
SS 316L Code	S2117
Titanium Code	T2117

Distal Medial Femur Locking Plate



Orientation	Left & Right
Size	2, 4, 6, 8 & 10 Hole
SS 316L Code	S2118
Titanium Code	T2118

**Proximal Femur GT Buttress Locking Plate
2 Hole short**



Orientation	Universal
Size	Short & Long
SS 316L Code	S2119
Titanium Code	T2119

**Proximal Femur GT Buttress Locking Plate short For
PFN2(APFN) 1Hole**



Orientation	Universal
Size	Short & Long
SS 316L Code	S2121
Titanium Code	T2121



OROSURG

LOCKING SCREW

2.7 mm Cortex Locking Screw



Size	10mm to 60mm
SS 316L Code	S605.10 to S605.60
Titanium Code	T605.10 to T605.60

3.5 mm Cortex Locking Screw




Size	10mm to 90mm
SS 316L Code	S610.10 to S610.90
Titanium Code	T610.10 to T610.90

5.0 mm Cortex Locking Screw



Size	18mm to 90mm
SS 316L Code	S615.18 to S615.90
Titanium Code	T615.18 to T615.90

3.5 mm Cancellous Locking Screw (Full Thread)



Size	20mm to 100mm
SS 316L Code	S611.20 to S611.100
Titanium Code	T611.20 to T611.100

5.0 mm Cancellous Locking Screw (Full Thread)



Size	25mm to 100mm
SS 316L Code	S616.25 to S616.100
Titanium Code	T616.25 to T616.100

2.7 mm Cortex Locking Screw (Star) for Variable Angle



Size	10mm to 40mm
SS 316L Code	S607.10 to S607.40
Titanium Code	T607.10 to T607.40



OROSURG

BONE SCREW

2.7 mm Cortex(Cortical) Screw



Size	10mm to 40mm
SS 316L Code	S202.10 to S202.40
Titanium Code	T202.10 to T202.40

3.5 mm Cortex(Cortical)Screw(20 TPI)



Size	12mm to 90mm
SS 316L Code	S204.12 to S204.90
Titanium Code	T204.12 to T204.90

4.5 mm Cortex(Cortical) Screw



Size	20mm to 90mm
SS 316L Code	S205.20 to S205.90
Titanium Code	T205.20 to T205.90

4.0 mm Cancellous Screw Short Threaded



Size	16mm to 80mm
SS 316L Code	S221.16 to S221.80
Titanium Code	T221.16 to T221.80

4.0 mm Cancellous Screw Fully Threaded



Size	16mm to 80mm
SS 316L Code	S222.16 to S222.80
Titanium Code	T222.16 to T222.80

6.5 mm Cancellous Screw 16.0 mm Threaded



Size	25mm to 120mm
SS 316L Code	S225.25 to S225.120
Titanium Code	T225.25 to T225.120

6.5 mm Cancellous Screw 32.0 mm Threaded



Size	40mm to 120mm
SS 316L Code	S226.40 to S226.120
Titanium Code	T226.40 to T226.120

6.5 mm Cancellous Screw Fully Threaded



Size	40mm to 120mm
SS 316L Code	S227.40 to S227.120
Titanium Code	T227.40 to T227.120

4.0 mm Cannulated Cancellous(CC) Screw Short Threaded



Size	12mm to 80mm
SS 316L Code	S223.12 to S223.80
Titanium Code	T223.12 to T223.80



OROSURG

BONE SCREW

4.9 mm Inter-Locking Bolt



Size	16mm to 90mm
SS 316L Code	S304.16 to S304.90
Titanium Code	T304.16 to T304.90

6.4 mm Proximal Femoral Screw (P.F.N)



Size	50mm to 120mm
SS 316L Code	S305.50 to S305.120
Titanium Code	T305.50 to T305.120

8.0mm Proximal Femoral Screw (P.F.N)



Size	50mm to 120mm
SS 316L Code	S306.50 to S306.120
Titanium Code	T306.50 to T306.120

3.5mm Herbert Screw



Size	12mm to 60mm
SS 316L Code	S503.12 to S503.60
Titanium Code	T503.12 to T503.60

2.5mm Herbert Screw



Size	12mm to 40mm
SS 316L Code	S502.12 to S502.40
Titanium Code	T502.12 to T502.40

2.0mm Herbert Screw



Size	12mm to 40mm
SS 316L Code	S501.12 to S501.40
Titanium Code	T501.12 to T501.40

Washer 4.0mm



Size	4.0mm
SS 316L Code	S504.40
Titanium Code	T504.40

Washer 6.5 mm



Size	6.5mm
SS 316L Code	S504.65
Titanium Code	T504.65

■ PFN2(APFN) Interlocking Nail**PFN2(APFN) Nail Short 130°**

Diameter	9.0, 10.0, 11.0 & 12.0mm
Length	180mm & 240mm
SS 316L Code	S1531 to S1534
Titanium Code	T1531 to T1534
Orientation	Universal

PFN2(APFN) Nail Short 130°(Long)

Diameter	9.0, 10.0, 11.0 & 12.0mm
Length	340mm & 440mm
SS 316L Code	S1536 to S1539
Titanium Code	T1536 to T1539
Orientation	Left & Right

Blade For APFN Nail

Length	65mm & 110mm
SS 316L Code	S1540
Titanium Code	T1540
Orientation	Universal

Gamma Screw For APFN Nail

Length	65mm & 110mm
SS 316L Code	S1542
Titanium Code	T1542
Orientation	Universal

■ Inter-Locking Tibia Nail

Diameter	8.0, 9.0, 10.0 & 11.0mm
Length	280mm to 380mm
SS 316L Code	S1401 to S1404
Titanium Code	T1401 to T1404
Orientation	Universal

■ Inter-Locking Femoral Nail

Diameter	9.0, 10.0, 11.0 & 12.0mm
Length	340mm to 480mm
SS 316L Code	S1411 to S1414
Titanium Code	T1411 to T1414
Orientation	Universal



OROSURG

Interlocking Nailing

■ Proximal Femoral Nail (PFN)



Proximal Femoral Nail(PFN)(Short) 250mm

Diameter	9.0, 10.0, 11.0 & 12.0mm
Screw Angle	130° & 135°
SS 316L Code	S1441 & S1442
Titanium Code	T1441 & T1442
Orientation	Universal

Trochanteric Femoral Nail(TFN)(Short) 180mm

Diameter	9.0, 10.0, 11.0 & 12.0mm
Screw Angle	130° & 135°
SS 316L Code	S1443 & S1444
Titanium Code	T1443 & T1444
Orientation	Universal

Proximal Femoral Nail(PFN)(Long)

Diameter	9.0, 10.0, & 11.0
Length	340mm to 440mm
SS 316L Code	S1431 & S1433
Titanium Code	T1431 & T1433
Orientation	Left & Right

■ Inter-Locking Humerus Nail



Solid

Diameter	6.0mm
Length	180mm to 300mm
SS 316L Code	S1421
Titanium Code	T1421
Orientation	Universal

Cannulated

Diameter	7.0mm & 8.0mm
Length	180mm to 300mm
SS 316L Code	S1425 to S1426
Titanium Code	T1425 to T1426
Orientation	Universal

■ Inter-Locking Nail For Cyrus Femoral



Diameter	9.0, 10.0 & 11.0mm
Length	340mm to 440mm
SS 316L Code	S1511 to S1513
Titanium Code	T1511 to T1513
Orientation	Left & Right

■ Inter-Locking Nail For Expert Tibia



Diameter	8.0, 9.0, & 10.0mm
Length	280mm to 380mm
SS 316L Code	S1501 to S1503
Titanium Code	T1501 to T1503
Orientation	Universal



OROSURG

Interlocking Nailing

■ Inter-locking Nail Supracondylar



Diameter	9.0, 10.0, 11.0 & 12.0mm
Length	150mm to 350mm
SS 316L Code	S1471 to S1474
Titanium Code	T1471 to T1474
Orientation	Universal

■ Ankle Nail



Diameter	8.0, 9.0, 10.0 & 11.0mm
Length	150, 180, 210, 240, 270, 300 & 330mm
SS 316L Code	S1445A to S1445D
Titanium Code	S1445A to S1445D
Orientation	Universal

OROSURG
— ENTERPRISES —

OROSURG
— ENTERPRISES —



OROSURG

Interlocking Nailing

■ Screw Intramedullary Nail



Diameter	2.0mm to 3.5mm
Length	120mm to 300mm
SS 316L Code	S1333 to S1336
Titanium Code	T1333 to T1336
Orientation	Universal

■ Rush Nail



Diameter	2.0mm to 4.5mm
Length	160mm to 360mm
SS 316L Code	S1341 to S1346
Titanium Code	T1341 to T1346
Orientation	Universal

■ Elastic Nail



Diameter	1.5mm to 4.5mm
Length	440mm
SS 316L Code	S1302
Titanium Code	T1302
Orientation	Universal

■ Ender's Nail




Diameter	2.0mm to 4.5mm
Length	160mm to 340mm
SS 316L Code	S1314 to S1319
Titanium Code	T1314 to T1319
Orientation	Universal



OROSURG

OTHER PRODUCTS

Hip Prosthesis




Spinal Implant



Maxillofacial Implants



External Fixator System



Ring Fixator System



Ortho Power Tools





OROSURG

ENTERPRISES

Orosurg Enterprises

Address : 108, Matru Business Hub, Rajkot-Gondal Highway
Nr. Korat Chowk,
2nd Ring Road, Rajkot.

Website : www.orosurg.in

Email : info@orosurg.in / orosurgenterprises@gmail.com

Helpline : +91 94095 28137

Follow /     



Products processed in a facility accredited with ISO , CE, and GMP certifications.